



**LUXURY FIREPLACE HEATER**

**CIXI BOTAI ELECTRIC TECH CO., LTD**

ADD:FUHAI INDUSTRIAL ZONE,NINGBO CITY,  
ZHEJIANG 315332,P.R.C.

TEL:0086-574-63681021

FAX:0086-574-63681022

Http: [www.sinofireplace.com](http://www.sinofireplace.com)

E-mail: [Sales@sinofireplace.com](mailto:Sales@sinofireplace.com)



**CIXI BOTAI ELECTRIC TECH CO., LTD**

# NOTE

-----

-----

-----

-----

-----

-----

-----

-----

-----



Stand Series



MINI Series



Desktop Series



Wall-mounted Series



# LUXURY FIREPLACE HEATER



## YH-15



- Power:1500W,1800-2000W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Flame brightness setting
- Two heating power
- With open flame effect window
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):610×332×594mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
640x370x570	8.6kg	9.8kg	215	430	467

## YH-16

- Power:1500W , 1800-2000W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- With remote control
- 5 levels flame brightness setting
- Two heating power
- With open flame effect window
- Safety thermal cutoff device
- Thermostatic temperature control
- With timer
- Machine Size:(L\*W\*H):635x305x675mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
705x360x665	8.4kg	11kg	170	348	380





## YH-17-10

- Power:1200W,1000-1200W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Adjustable brightness setting
- With halogen tube
- Two heating power
- With open flame effect window
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):540x283x600mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
550x325x595	7.5kg	8.7kg	268	560	640



## YH-17-11

- Power:1500W,1800-2000W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Adjustable brightness setting
- Two heating power
- With open flame effect window
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):540x283x600mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
550x325x595	7.5kg	8.7kg	268	560	640

## YH-17-12

- Power:1500W,1800-2000W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Adjustable brightness setting
- Two heating power
- With open flame effect window
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):540x283x600mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
550x325x595	7.5kg	8.7kg	268	560	640



## YH-17-13

- Power:1500W,1800-2000W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Adjustable brightness setting
- Two heating power
- With open flame effect window
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):540x283x600mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
550x325x595	7.5kg	8.7kg	268	560	640





## YH-17-11B

- Power:1500W,1800-2000W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Adjustable brightness setting
- Two heating power
- With open flame effect window
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H): 540x283x600mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
550x325x595	7.5kg	8.7kg	268	560	640



## YH-20-1

- Power:1500W,1800-2000W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Adjustable brightness setting
- Two heating power
- With open flame effect window
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):390x240x565mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
415x295x540	5.1kg	6.2kg	458	910	1045



## YH-20

- Power:1500W,1800-2000W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Two heating power
- Flame effect
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):390x240x565mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
415x295x540	5.1kg	6.2kg	458	910	1045



## YH-20-2

- Power:1500W,1800-2000W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Adjustable brightness setting
- Two heating power
- With open flame effect window
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):450x285x540mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
415x295x540	5.1kg	6.2kg	458	910	1045



**NEW**  
PRODUCT

## YH-20-1A

- Power:1500W,1800-2000W
- Votage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Adjustable brightness setting
- Two heating power
- With open flame effect window
- 3 Glass side view
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):420x320x585mm



Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
460x355x590	6.7kg	8kg	320	650	700

**NEW**  
PRODUCT

## YH-20-1C

- Power:1500W,1800-2000W
- Votage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Adjustable brightness setting
- Two heating power
- With open flame effect window
- 3 Glass side view
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):420x320x585mm



Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
460x355x590	6.7kg	8kg	320	650	700

**NEW**  
PRODUCT

## YH-20-1B

- Power:1500W,1800-2000W
- Votage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Adjustable brightness setting
- Two heating power
- With open flame effect window
- 3 Glass side view
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):420x320x585mm



Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
460x355x590	6.7kg	8kg	320	650	700

## YH-1901

- Power: 1500W 1600W-1800W
- Votage: 110V/60Hz,220-240V/50Hz
- Sugegestion Heating area:20-30 m<sup>2</sup>
- Two heating power
- 3 Glass side view
- With flame effect
- With temperature setting(15°C-35°C)
- With timer(0-8H)
- With remote control
- Safety thermal cutoff device
- Machine Size:(L\*W\*H):355x210x325mm

**NEW**  
PRODUCT



Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
380x240x360	4.0kg	4.6kg	810	1728	1890

**NEW**  
PRODUCT



## YH-28

- Power: 400W
- Voltage: 110V/60Hz, 220-240V/50Hz
- Suggestion Heating area: 10-15 m<sup>2</sup>
- With flame effect
- With temperature setting (15°C-35°C)
- With timer (0-8H)
- With remote control
- Falling down auto-cut off device
- Safety thermal cutoff device
- Machine Size: (L\*W\*H): 163x163x295mm

Gift box(mm)	Master box(mm)	N.W	G.W	6PCS / CTN/20'	6PCS / CTN/40'	6PCS / CTN/40HQ
180x170x322	575x385x345	1.1kg	8.5kg	2016	4800	5040



## YH-19

- Power: 1500W, 1800-2000W
- Voltage: 110V/60Hz, 220-240V/50Hz
- Suggestion Heating area: 20-30m<sup>2</sup>
- Two heating power
- Flame effect
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size: (L\*W\*H): 365x240x415mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
390x290x435	4.5kg	5.2kg	600	1260	1400



## YH-19C

- Power: 1500W, 1800-2000W
- Voltage: 110V/60Hz, 220-240V/50Hz
- Suggestion Heating area: 20-30m<sup>2</sup>
- Two heating power
- Flame effect
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size: (L\*W\*H): 365x240x415mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
390x290x435	4.5kg	5.2kg	600	1260	1400



## YH-19B

- Power: 1500W, 1800-2000W
- Voltage: 110V/60Hz, 220-240V/50Hz
- Suggestion Heating area: 20-30m<sup>2</sup>
- Two heating power
- Flame effect
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size: (L\*W\*H): 365x240x415mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
390x290x435	4.5kg	5.2kg	600	1260	1400



## YH-09

- Power:1500W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Ceramic Fan Heater
- With Oscillation
- Two heating power
- Flame effect
- Falling down auto-cut off device
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):305×180×350mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
325x220x395	2.2kg	2.8kg	1050	2220	2400
<b>M</b> 455x340x415	4.4kg	6.6kg	880	1800	2080



## YH-09B

- Power:1500W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Ceramic Fan Heater
- Two heating power
- Flame effect
- Falling down auto-cut off device
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):315x240x345mm



Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
340x280x385	2.3kg	2.8kg	800	1630	1900



## YH-21

- Power:1500W,1600-1800W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- 2 levels flame brightness setting
- Two heating power
- With open flame effect window
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):450×350×510mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
485x355x438	4.2kg	5.5kg	380	780	930



## YH-06

- Power:1500W,1800-2000W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- With Oscillation
- Two heating power
- Flame effect
- Falling down auto-cut off device
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):350×310×390mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
390x325x420	4.2kg	5.1kg	550	1100	1280



## YH-08A

- Power:1500W,1800-2000W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- 5 levels flame brightness setting
- With remote control
- With touch switch
- With Oscillation
- Two heating power
- Flame effect
- Falling down auto-cut off device
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):300×140×440mm



Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
355x210x495	4.5kg	5.2kg	820	1700	1860

## YH-08

- Power:1500W,1800-2000W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- With manual switch on back
- Two heating power
- Flame effect
- Falling down auto-cut off device
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):300×140×410mm



Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
355x210x475	4.0kg	4.7kg	900	1800	1960

## YH-07

- Power:1500W,1800-2000W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Two heating power
- Flame effect
- Falling down auto-cut off device
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):390×190×500mm



Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
430x225x555	4.9kg	5.6kg	540	1080	1280



## YH-04

- Power:1500W,1600-1800W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Free stand or wall-mounted
- Two heating power
- Flame effect
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):550×153×380mm



Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
595x190x410	6.1kg	6.9kg	650	1300	1510



## YH-10

- Power:1500W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Ceramic Fan Heater
- Two heating power
- Falling down auto-cut off device
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):195×130x270mm

Gift box(mm)	Master box	N.W	G.W	4 PCS / CTN/20'	4 PCS / CTN/40'	4 PCS / CTN/40HQ
260x170x310	540x360x330	1.4kg	1.8kg	1740	3600	4080



## YH-18

- Power:1200W,1400-1600W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Two heating power
- Flame effect
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):335×170×245mm

Gift box(mm)	Master box	N.W	G.W	2 PCS / CTN/20'	2 PCS / CTN/40'	2 PCS / CTN/40HQ
375x215x305	390x400x325	3.0kg	3.5kg	1058	2060	2400



## YH-29

- Power: 400W
- Voltage: 220-240V/50Hz
- Suggestion Heating area:10-15 m<sup>2</sup>
- PTC Heater
- With temperature setting(15°C-35°C)
- With timer(0-12H)
- Plugs directly into wall/Power cord/Wall-mounted
- Frees up floor space
- Safety thermal cutoff device
- Machine Size:(LxWxH):128x88x150mm

Gift box(mm)	Master box	N.W	G.W	36PCS/60PCS CTN/20'	36PCS/60PCS CTN/40'	36PCS/60PCS CTN/40HQ
138x96x160	450x590x330	0.48kg	0.55kg	10080	20160	23040



## YH-18B

- Power:1200W,1400-1600W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- With standing foot
- Two heating power
- Flame effect
- Safety thermal cutoff device
- Thermostatic temperature control
- Machine Size:(L\*W\*H):340x180x300mm

Gift box(mm)	Master box	N.W	G.W	2 PCS / CTN/20'	2 PCS / CTN/40'	2 PCS / CTN/40HQ
375x215x305	390x440x325	3.1kg	3.6kg	1050	2060	2400



## YH-03A

- Power:1500W,1600-1800W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Wall-mounted
- Two heating power
- Flame effect
- Safety thermal cutoff device
- Machine Size:(L\*W\*H):660×130×460mm



Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
705×185×510	8.6kg	9.7kg	440	880	1020

## YH-02C

- Power:1500W,1600-1800W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Free stand
- Two heating power
- Flame effect
- Safety thermal cutoff device
- Machine Size:(L\*W\*H):600×140×680mm



Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
810×210×430	6.5kg	7.5kg	430	860	940

## YH-03B



- Power:1500W,1600-1800W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Wall-mounted
- With remote control
- Two heating power
- Flame effect
- Safety thermal cutoff device
- Machine Size:(L\*W\*H):660×130×460mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
705×185×510	8.8kg	9.9kg	440	880	1020

## YH-02



- Power:1500W,1600-1800W
- Voltage:110V/60Hz,220-240V/50Hz
- Suggestion Heating area:20-30m<sup>2</sup>
- Free stand
- Two heating power
- Flame effect
- Safety thermal cutoff device
- Machine Size:(L\*W\*H):600×140×680mm

Gift box(mm)	N.W	G.W	PCS/20'	PCS/40'	PCS/40HQ
810×210×430	6.5kg	7.5kg	430	395	940